(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	e of map unit			Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Zook	45	Very limited Depth to saturated zone Restricted permeability	1.00	saturated zone	1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.13
Olmitz	30	Not limited		Not limited		Somewhat limited   Slope	0.50
Vesser	20	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Slope Depth to saturated zone	0.50
23C: Arispe	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00
23C2: Arispe	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00
24D: Shelby	100	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
24D2: Shelby	100	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
24E2: Shelby	95	Very limited Slope	1.00	  Very limited   Slope	1.00	  Very limited   Slope	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
24E3: Shelby	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
24F2: Shelby	100	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
51: Vesser	90	Very limited Flooding  Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding  Depth to saturated zone	0.60
51+: Vesser	90	Very limited Flooding  Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding  Depth to saturated zone	0.60
51B: Vesser	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Slope Depth to saturated zone	0.50
51B+: Vesser	90	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Slope  Depth to saturated zone	0.50
54: Zook	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding  Restricted permeability	1.00	Restricted permeability	0.94	Restricted permeability Flooding	0.94
54+: Zook	95	Very limited Depth to saturated zone Flooding  Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.94 0.60
54B: Zook	90	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.94 0.50
65E: Lindley	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
65E2: Lindley	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
65F: Lindley	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
65F2: Lindley	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
65G: Lindley	95	  Very limited		  Very limited		  Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope Restricted permeability	1.00	Slope Restricted permeability	1.00	Slope Restricted permeability	1.00
65G2: Lindley	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
93D2: Shelby	60	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
Adair	40	Somewhat limited Restricted permeability	0.94	permeability	0.94	Very limited Slope	1.00
		Slope  Depth to  saturated zone	0.63	Slope  Depth to saturated zone	0.63	Restricted permeability Depth to saturated zone Gravel content	0.94
94D2: Mystic	60	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope  Depth to saturated zone	0.63	Slope  Depth to saturated zone	0.63	Restricted permeability Depth to saturated zone	0.94
Caleb	40	Somewhat limited Slope	0.63	Somewhat limited   Slope	0.63	Very limited Slope	1.00
94E2: Mystic	60	Very limited Slope Restricted permeability Depth to saturated zone	1.00	Very limited Slope Restricted permeability Depth to saturated zone	1.00	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
Caleb	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
131B: Pershing	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94
131C: Pershing	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00
131C2: Pershing	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00
131D2: Pershing	100	Somewhat limited Restricted permeability Slope	0.94	Somewhat limited Restricted permeability Slope	0.94	Very limited Slope Restricted permeability	1.00
132B: Weller	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94
132C: Weller	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00
132C2: Weller	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	_		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
132D2: Weller	100	Somewhat limited Restricted permeability Slope	0.94	Somewhat limited Restricted permeability Slope	0.94	Very limited Slope Restricted permeability	1.00
172: Wabash	95	Very limited Depth to saturated zone Flooding  Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00
179D2: Gara	95	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
179E: Gara	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
179E2: Gara	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
179E3: Gara	95	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
179F: Gara	100	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
179F2: Gara	100	  Very limited		  Very limited		  Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit			Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope Restricted permeability	1.00	Slope Restricted permeability	1.00	Slope Restricted permeability	1.00
179G2: Gara	100	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00	Very limited Slope Restricted permeability	1.00
192C2: Adair	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
192D2: Adair	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39
211: Edina	90	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00
220: Nodaway	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
222C: Clarinda	100	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Slope	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.39
222C2: Clarinda	100	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.39
222C3: Clarinda	100	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.39
222D2: Clarinda	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.19	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 1.00 0.39
223C2: Rinda	100	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.39
223D2: Rinda	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.19	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 1.00 0.39

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
269: Humeston	95	Very limited Depth to saturated zone Flooding Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00
269+: Humeston	95	Very limited Depth to saturated zone Flooding  Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00
273B: Olmitz	100	Not limited		Not limited		Somewhat limited   Slope	0.50
273C: Olmitz	100	Not limited		Not limited		Very limited Slope	1.00
313D2: Gosport	90	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.07	Very limited Restricted permeability Slope Depth to saturated zone	1.00	Very limited Slope  Restricted permeability Depth to bedrock  Depth to saturated zone	1.00 1.00 0.46 0.07
313E2: Gosport	90	Very limited Restricted permeability Slope Depth to saturated zone	1.00	Very limited Restricted permeability Slope Depth to saturated zone	1.00	Very limited Slope  Restricted permeability Depth to bedrock  Depth to saturated zone	1.00 1.00 0.46 0.07

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
313F: Gosport	90	Very limited Slope Restricted permeability Depth to saturated zone	1.00	Very limited Slope Restricted permeability Depth to saturated zone	1.00	Very limited Slope Restricted permeability Depth to bedrock Depth to saturated zone	1.00 1.00 0.46 0.07
313F2: Gosport	90	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.07	Very limited Slope Restricted permeability Depth to saturated zone	1.00	Very limited Slope Restricted permeability Depth to bedrock Depth to saturated zone	1.00 1.00 0.46 0.07
362: Haig	90	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00
364B: Grundy	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94
423C2: Bucknell	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
423D: Bucknell	95	  Somewhat limited		  Somewhat limited		  Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability Slope  Depth to saturated zone	0.94	Restricted permeability Slope  Depth to saturated zone	0.94	Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
423D2: Bucknell	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
425D: Keswick	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
425D2: Keswick	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00
430: Ackmore	90	Very limited Flooding  Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding  Depth to saturated zone	0.60
451D2: Caleb	90	Somewhat limited   Slope	0.63	Somewhat limited   Slope	0.63	Very limited Slope	1.00
451E2: Caleb	90	  Very limited		  Very limited		  Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope	1.00
452C: Lineville	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
452C2: Lineville	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
453: Tuskeego	95	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00
470D2: Lamoni	70	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
Shelby	30	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
484: Lawson	90	Very limited Flooding Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding Depth to saturated zone	0.60

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit			Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
587: Chequest	90	Very limited Depth to saturated zone Flooding Restricted	1.00 1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00	Very limited Depth to saturated zone Flooding Restricted	1.00 0.60 0.15
587+: Chequest	90	very limited Depth to saturated zone Flooding  Restricted permeability	1.00 1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00	permeability  Very limited Depth to saturated zone Flooding  Restricted permeability	1.00 0.60 0.15
592C2: Mystic	90	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00
592D2: Mystic	90	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00
711: Nodaway	70	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Lawson	25	Very limited Flooding  Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding Depth to saturated zone	0.60
792C: Armstrong	100	  Somewhat limited		  Somewhat limited		  Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit			Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability Depth to saturated zone	0.94	Restricted permeability Depth to saturated zone	0.94	Slope  Restricted permeability Depth to saturated zone	1.00
792C2: Armstrong	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Gravel content  Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.04
792D: Armstrong	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.04
792D2: Armstrong	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.04
792D3: Armstrong	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope  Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.04

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit			Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
822C: Lamoni	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00
822C2: Lamoni	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Somewhat limited Restricted permeability Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
822D: Lamoni	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope  Restricted permeability Depth to saturated zone	1.00 0.94 0.39
822D2: Lamoni	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94	Very limited Slope  Restricted permeability Depth to saturated zone	1.00
831B: Pershing	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94
831C: Pershing	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit			Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.94
831C2:							
Pershing	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		permeasifie		permeability		Restricted permeability	0.94
894D2:							
Bucknell	65	Somewhat limited Restricted permeability	0.94	Somewhat limited   Restricted   permeability	0.94	Very limited   Slope	1.00
		Slope	0.63	Slope	0.63	Restricted	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	permeability Depth to saturated zone	0.39
Gara	35	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
993D2:							
Gara	60	Somewhat limited Slope Restricted permeability	0.63	Somewhat limited Slope Restricted permeability	0.63	Very limited Slope Restricted permeability	1.00
Armstrong	40	Somewhat limited Restricted	0.94	Somewhat limited Restricted	0.94	   Very limited   Slope	1.00
		permeability Slope	0.63	permeability Slope	0.63	Restricted	0.94
		Depth to	0.39	Depth to	0.19	permeability Depth to	0.39
		saturated zone	0.33	saturated zone	0.15	saturated zone Gravel content	0.04
1711:							
Nodaway	65	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Lawson	25	Very limited Flooding Depth to saturated zone	1.00	Somewhat limited Flooding Depth to saturated zone	0.40	Very limited Flooding Depth to saturated zone	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5021: Orthents	100	Not rated		Not rated		Not rated	
5025: Strip Mines	100	Not rated		Not rated		Not rated	
5040: Orthents	100	Not rated		Not rated		Not rated	
INT: Intermittent Water	100	Not rated		Not rated		Not rated	
SL: Sewage Lagoon	100	Not rated		Not rated		Not rated	
W: Water Less Than 40 Acres	100	Not rated		Not rated		Not rated	